

This template shows the page header with its description, table of contents (TOC) and navigation tree

Paramters: Page, Description, Theme, IncludeToc (=true)

```

var mPars = {
  mPage: ( __request.args.page ? string.deserialize(__request.args.page) :
null ) ?? args.page ?? page,
  smDesc: ((__request.args.desc) ? ((__request.args.desc is map) ?
__request.args.desc : { __ : __request.args.desc }) : null) ??
((args.desc) ? ((args.desc is map) ? args.desc : { __ :
args.desc }) : null) ?? null,
  slLang: ((__request.args.lang) ? ((__request.args.lang is list) ?
__request.args.lang : [__request.args.lang]) : null) ??
((args.lang) ? ((args.lang is list) ? args.lang : [args.lang])
: null) ?? null,
  sTheme: __request.args.theme ?? args.theme ?? null,
  bIncToc: __request.args.inctoc ?? args.inctoc ?? true,
  bIncTocCom: __request.args.inctoccom ?? args.inctoccom ?? true
};
//Web.Pre(Json.Format(mPars));

//Get Language(s)
var sLang=null;
var slLang=null;
var smDesc=mPars.smDesc;
if (mPars.slLang==null) {
  let sLang=String.ToLower(mPars.mPage.language);
  if (sLang not in ["en","es","eu"])
    let sLang='en'; //by default
  let slLang= [sLang];
  let smDesc..={ (sLang) : smDesc["__"] };
}//if
else {
  //@himikel #mod 2011-02-02: Set Current Language with '*'
  var nMainLang=0;
  foreach (var sLang in mPars.slLang)
  {
    if (String.StartsWith(sLang,"*"))
    {
      let nMainLang=__index;
      let sLang=String.SubStr(sLang,1);
    }//if
    if (sLang not in ["en","es","eu"])
      let sLang='en'; //by default
    if (sLang not in slLang)
      let slLang..= [sLang];
  }
  let sLang=slLang[nMainLang]; //set main language
}//el

```

```

//Web.Pre(sLang);
//Web.Pre(Json.Format(smDesc));
//Web.Pre(Json.Format(slLang));

//Set Main Theme
var smLangThemes= { en: "pink", es: "orange", eu: "green" };
var sTheme= (mPars.sTheme ? String.ToLower(mPars.sTheme) : null) ??
smLangThemes[sLang] ?? "white";
//Web.Pre(Json.Format(sTheme));

//Set Theme Colors
var sLgtCol,sDrkCol;
var smLgtCol= { pink: "rgb(255, 204, 255)", orange: "rgb(255, 204, 153)",
green: "rgb(204, 255, 204)", white: "white" };
var smDrkCol= { pink: "rgb(204, 153, 255)", orange: "rgb(255, 153, 0)",
green: "rgb(51, 153, 102)", white: "white" };
var sLgtCol=smLgtCol[sTheme];
var sDrkCol=smDrkCol[sTheme];

//Compose Description Line
if (smDesc!=null) {
  var sDescLine="<p>";
  foreach (var sLang1 in slLang)
  {
    if (__index>0) let sDescLine..="&nbsp;&nbsp;";
    var sTheme1= (mPars.sTheme ? String.ToLower(mPars.sTheme) : null) ??
smLangThemes[sLang1] ?? "white";
    var sLgtCol1=smLgtCol[sTheme1];
    var sDesc=smDesc[sLang1];
    if (String.IndexOf(sDesc,"<br />")!=0)
      let sDesc="&nbsp;".sDesc.."&nbsp;";
    else
      let sDesc="<br />&nbsp;".String.SubStr(sDesc,6).."&nbsp;";
    let sDescLine..="<span style='background-color:
"..sLgtCol1..";'>".sDesc.."</span>";
  }
  let sDescLine..="</p>";
  Web.Html(sDescLine);
}

if (mPars.bIncToc)
{
  //var sPageToc1=Wiki.Toc('/');
  //Web.Text(sPageToc1);
  //Web.Text(Page.Toc);

  //Prepare Page Toc: Interactive Discussion
  var smIntComSect={
    en: "Interactive discussion",
    es: "Discusión interactiva",

```

```

    eu: "Eztabaida interaktiboa"
};
var smIntComMark={
    en: ".3a)_Interactive_discussion",
    es: ".3a)_Discusi.c3.b3n_interactiva",
    eu: ".3a)_Eztabaida_interaktiboa"
};

var sIntComSect=smIntComSect[sLang];
var sIntComMark=smIntComMark[sLang];
//var sIntComMark="IC";
var sIntComLi="<li><span>:) </span><a href='#"..sIntComMark.."'"
rel='internal'>"..sIntComSect.."</a></li>";

//Web.Pre(Json.Format(Web.Text(Wiki.Toc(mPars.mPage.parent.path))));

//Set Page Toc
//Web.Pre("PagePath: "..mPars.mPage.Path);
var sPageTocUri=Site.Uri.."@api/deki/pages/
=Template:@himikel%252FWikiToc/
contents?mode=view&format=xhtml&pageid=1&path="..Uri.Encode(mPars.mPage.Path)..
//Web.Pre("PageTocUri: "..sPageTocUri);
var xPageToc=Web.Html(sPageTocUri);
//var xPageToc=Web.Html(Site.Uri.."@api/deki/pages/
=Template:@himikel%252FWikiToc/
contents?mode=view&format=xhtml&pageid=1&path=/MindTouch/DekiMVC");
//var xPageToc=Wiki.Template("Template:@himikel/WikiToc", { path:
"/MindTouch/DekiMVC/" });
//var xPageToc=Wiki.Toc("/MindTouch/DekiMVC");
//var xPageToc=Wiki.Toc(mPars.mPage.Path);
var sPageToc=Web.Text(xPageToc);
let sPageToc=String.Replace(sPageToc,"\\n","");
//var sPageToc=Xml.Text{ doc: xPageToc, xml: true };
//Web.Pre(Json.Format(sPageToc));

//Add Comments section in Toc
if (mPars.bIncTocCom)
{
    if (String.IndexOf(sPageToc,"<div class=\"wiki-toc\"><em>")>=0) //No
Headers
    //if (String.IndexOf(sPageToc,"<div class=\"wiki-toc\"><em>No
headers</em></div>")>=0) //No Headers
    {
        let sPageToc="<div class='wiki-toc'><ol
style='list-style-type:none; margin-left:0px; padding-left:0px;'>";
        let sPageToc..=sIntComLi;
        let sPageToc..="</ol></div>";
    }//if
else
{

```

```

var nEndOlPos=0;
if (sPageToc!="")
    let nEndOlPos=String.LastIndexOf(sPageToc,"</ol>");
if (nEndOlPos>0)
    let
sPageToc=String.SubStr(sPageToc,0,nEndOlPos)..sIntComLi..String.SubStr(sPageToc,
    }//el
}//if

//Contents & Navigation table
var xPageTree=Wiki.Template("Template:@neilw/AjaxWikiTree", { path:
mPars.mPage.path, secure: true });
//var xPageTree=Wiki.Template("Template:@himikel/WikiTree", { path:
mPars.mPage.path, secure: true });
//Web.Pre(Json.Format(xPageTree));
//var xPageTree=AjaxWikiTree{ path: mPars.mPage.path, secure: true };
var xlPageTreeScript=Xml.List{ doc: xPageTree, xpath: "//script", xml:
true };
var xPageTreeDiv=xPageTree["//body"];
//var xPageTreeDiv=xPageTree["//div"];
var sPageTreeDiv=Xml.Text{ doc: xPageTreeDiv, xml: true };
//Web.Pre(Json.Format(sPageTreeDiv));
//Web.Pre(Json.Format(Xml.List{ doc: xPageTree, xpath: "//*", xml: true
})));
var sContNavTable="
<table cellpadding='1' cellspacing='1' border='0' style='width: 100%;
table-layout: fixed;'>
    <tbody>
        <tr>
            <td valign='top' style='width: 45%;'>
                <span style='font-size: medium;'><strong><span
style='background-color: "..sDrkCol..";'>
                    &nbsp;v&nbsp;
                </span></strong></span>
                "..sPageToc.."
            </td>
            <td valign='top' style='width: 5%;'>
                <span style='font-size: medium;'><strong><span
style='background-color: "..sDrkCol..";'>
                    <a title='..'
href='"..mPars.mPage.parent.path..'>&nbsp;&lt;&nbsp;&nbsp;</a> <br />
                </span></strong></span>
            </td>
            <td valign='top' style='width: 50%;'>
                <span style='font-size: medium;'><strong><span
style='background-color: "..sDrkCol..";'>
                    &nbsp;&gt;&nbsp;
                </span></strong></span>
                "..sPageTreeDiv.."
            </td>

```

```
        </tr>
    </tbody>
</table>";
    Web.Html(sContNavTable);
    //Add JavaScripts
    foreach (var xPageTreeScript in xlPageTreeScript)
        Web.Xml(xPageTreeScript);
} //if
```